# Annals of Otology, Rhinology and Laryngology

FOUNDED BY JAMES PLEASANT PARKER.

#### VOL. XXI, 1912.

#### EDITORIAL STAFF.

HOLLOWING STATE	•
H. W. LOEB, M. D	St. Louis.
Editor-in-Chief.	
T. MELVILLE HARDIE, M. D	Chicago.
JAMES T. CAMPBELL, M. D	Chicago.
G. L. RICHARDS, M. D.	Fall River.
THOS. J. HARRIS, M. D.	New York.
J. L. GOODALE, M. D.	
SAMUEL E. ALLEN, M. D.	
CLEMENT F. THEISEN, M. D	Albany.
GEO. B. WOOD, M. D	
G. ALEXANDER, M. D	Vienna.
Editor for the Austrian En	
WYATT WINGRAVE, M. D	London.
Editor for England.	
A. JANSEN, M. D.	Berlin.
Editor for Russia.	
JOHN SENDZIAK, M. D	Warsaw.
Editor for Poland.	
W. Posthumus Meyjes, M. D	
Editor for Holland and Bel	lgium.
N. RH. BLEGVAD, M. D	Copenhagen.
Editor for Denmark and Scan	ndinavia.
HENRY HORN, M. D. S	an Francisco.
Editor for Germany	
VICTOR F. LUCCHETTIS	an Francisco.
Editor for Italy.	

## PUBLISHED QUARTERLY,

By Jones H. Parker, Mermod-Jaccard Building, St. Louis, Mo. 1912.



June 16

### TABLE OF CONTENTS.

I.—The Cubical Capacity and Superficial Area of the Sphenoid Sinus. By HANAU W. LOEB, A. M., M. D., St. Louis1
II.—Testing of the Vestibular Apparatus. By R. Barany, M. D., Vienna. Translated with special authorization of the author by Irving Wilson Voorhees, M. S., M. D., New York
III.—The Relief of Pain in Advanced Tuberculosis of the Larynx by Means of Injections of Alcohol Into the Internal Laryngeal Nerve. By George Fetterolf, M. D., Sc. D., Philadelphia
IV.—The Superior Maxilla—A Discussion of Its Proper Development. By E. G. Seibert, M. D., Washington145
V.—A Virulent and Rapid Infection of the Middle Ear and Mastoid Followed by an Evanescent Cellulitis of the Neck and Streptococcemia. By John Randolph Page, M. D., New York
VI.—Vacuum Nasal Headaches With Ocular Symptoms Only. By Greenfield Sluder, M. D., St. Louis160
VII.—Deep Temporal Abscess. By Alfred Braun, M. D., New York
VIII.—Streptococcus Infection and Immunity. By L. W. Strong, M. D., New York
IX.—Experiments With the Autolytic Solutions in the Treatment of Inoperable Cancer of the Throat, Neck and Face. By JO.EPH C. BECK, M. D. Chicago
X.—Contribution to the Pathology and Treatment of Oto- sclerosis. By Joseph C. Beck, M. D., Chicago203
XI.—Contribution to the Etiology, Pathology and Treatment of Atrophic Rhinitis. By Joseph C. Beck, M. D., Chicago
XII.—The Present State of Our Knowledge Concerning Hay Fever. By Prof. W. P. Dunbar, Hamburg277
XIII.—Report of a Case of Sequestrum of the Semicircular Canals, With Presentation of Specimen. By EDMUND PRINCE

XIV.—The Blood Supply of the Internal Ear of the Pigeon. By D. B. HAYDEN, M. D., Chicago315
XV.—Cerebellar Abscess of Otitic Origin, With Report of a Case. By Frank R. Spencer, A. B., M. D., Boulder, Colorado
XVI.—Second Report on the Therapeutic Value of Radium in Malignant Tumors of the Upper Air Tract. By Wolff Freudenthal, M. D., New York334
XVII.—Myalgia With or Without Otitis. By Francis W. White, M. D., New York346
XVIII.—Acute Mastoiditis, Sinus Thrombosis, Superficial Brain Abscess; Recovery. By Frank Tucker Hopkins, M. D., New York
XIX.—Report of a Case of Aspiration of Silver Tracheotomy Canula and Removal by Lower Bronchoscopy. By John G. Hunt, M. D., Fort William, Canada
XX.—Case of Gunshot Wound of the Ear. By John B. RAE, M. B., C. M., New York359
XXI.—Operative Treatment of Sinus Thrombosis. By George L. Tobey, Jr., M. D., Boston362
XXII.—Report of Case of Acute Mastoiditis in a Child, Followed by Acute Meningitis and Labyrinthitis. By HAROLD HAYS, A. M., M. D., New York
XXIII.—A Case of Primary Jugular Thrombosis. By Isaac M. Heller, M. D., New York380
XXIV.—The Role of the Labyrinth in Ideas of Tone and Rhythm, Time and Space. By Percy Fridenberg, M. D., New York
XXV.—The Indications for the Use of Salvarsan in Syphilis of the Nose and Throat. By J. L. Goodale, M. D., Boston392
XXVI.—President's Address. By James E. Newcomb, M. D., New York
XXVII.—The Report of a Case of Malignant Growth of the Larynx, Removed by Operation. By Francis R. Packard, M. D., Philadelphia

XXVIII.—Cavernous Sinus Thrombosis of Otitic Origin; Recovery. By Adair-Dighton, F. R. C. S., Liverpool411
XXIX.—The Massacre of the Tonsil. By John N. Mackenzie, M. D., Baltimore
XXX.—A New Knife for the Submucous Resection of the Nasal Septum. By GORDON W. RICE, B. S., M. D., Champaign, Ill
XXXI.—The Middle Turbinated Body: Some Indications for Its Removal. By W. Scott Renner, M. D., Baltimore. 443
XXXII.—Report of a Case of Rhinopharyngeal Fibroma. By Joseph S. Gibb, M. D., Philadelphia
XXXIII.—Atrophic Rhinitis and Its Treatment by Vaccines. By Frederick C. Cobb, M. D., and E. W. Nagel, M. D., Boston
XXXIV.—The Morphologic Changes in the Nose and Face Due to the Development of the Brain. By J. M. INGERSOLL, A. M., M. D., Cleveland
XXXV.—The Prevention of Deafmutism. By MACLEOD YEARSLEY, F. R. C. S., London
XXXVI.—Epithelial Grafting as a Means of Effecting the Sure and Rapid Healing of the Cavity Left by the Complete Mastoid Operation. By Charles A. Ballance, M. V. O., M. S., F. R. C. S., London
XXXVII.—The After-Treatment of Mastoid Operations. Including an Analysis of Results in 260 Radical and 100 Conservative (Heath) Operations. By J. WALKER WOOD, L. R. C. P., L. R. C. S., Edin., London
XXXVIII.—The Wassermann Reaction and Salvarsan in the Diagnosis and Treatment of Syphilis in Ear, Nose and Throat Affections with Special Reference to the Auditory Nerve. By JOSEPH C. BECK, M. D., Chicago
XXXIX.—What Is the Best Type of Radical Frontal Sinus Operation, Viewed From Simplicity of Technic, Time of Healing, and Cosmetic Results? By Geo. E. Davis, M. D., New York
XL.—On the Origin of Compensatory Tonus After Destruction of the Labyrinth. By Geo. E. Shambaugh, M. D., Chicago

XLI.—Syphilis of the Inner Ear. By Otto Glogau, M. D.,
New York
XLII.—The Pathology of Labyrinthitis. By DR. ERICH
RUTTIN, Vienna
XLIIIA Consideration of Brain Abscess, of Otitic Origin,
Based Upon a Study of Twenty-one Cases Coming Under the
Personal Observation of the Writer. By EDWARD BRADFORD
Dench, M. D., New York
XLIV.—The Eustachian Tube in Chronic Otitis Media. By
E. M. Holmes, M. D., Boston
E. M. Holmes, M. D., Boston
EMIL AMBERG, M. D., Detroit
XLVI.—The Relief of Tinnitus by the Use of Nitrate of
Silver Applied Within the Eustachian Tube. By WILLIAM
C. Braislin, M. D., Brooklyn. 773
XLVII.—History of a Case of Cholesteatoma of the Ear.
By Emil Gruening, M. D., New York
XLVIII.—A Case of Paracoustic Vertigo and Nystagmus.
(Preliminary Report.) By John Randolph Page, M. D.,
New York
XLIXPrimary Lateral Sinus Thrombosis Without In-
volvement of the Mastoid Process or Tympanum. By H. L.
Lynah, M. D., New York
LFibroma or Fibroangioma of the Middle Ear. By A. J.
Brady, M. D., Sydney, Australia787
LI.—Report of a Case of Myxofibroma of the Nasopharynx.
By J. H. Bryan, M. D., Washington, D. C
LII.—The Roentgen Ray as an Aid to the Diagnosis of
Diseases of the Sphenoid Sinus. By Ross Hall Skillern,
M. D., and George E. Pfahler, M. D., Philadelphia849
LIII.—Physical Economics—With Reference to the Eco-
nomic Value of Man and the Measurement of Damages to
any Part or Parts of His Body, by Standards of Measure-
ment and Mathematical Formulas, in a Manner Equitable to
All Concerned. By Erastus Eugene Holt, A. M., M. D.,
LL.D., Portland, Me
LIV.—External Radical Operation for Chronic Empyema
of the Air Sinuses by the Orbital Route. By W. Sohier
BRYANT, A. M., M. D., New York904

LVThe Nasopharynx in Relation to Diseases of the Ear.
By Chas. A. Adair-Dighton, M. B., F. R. C. S. Ed., Liver-
pool
LVI.—The Duration of the Stimulation of the Haircells
of the Crista Ampullaris Compared With the Duration of the
Endolymph Current, and the Resulting Nystagmus. By
George E. Shambaugh, M. D., Chicago925
LVII.—A Consideration of Otitic Meningitis in Children.
By S. MACCUEN SMITH, M. D., Philadelphia933
LVIII.—A Case of Septic Thrombosis of the Left Sigmoid,
Left Cavernous, and Left Inferior Petrosal Sinuses, With a
Suggestion for Treatment in Future Cases. By CHARLES A.
BALLANCE, M. V. O., M. S., F. R. C. S., and NEILL HOBHOUSE,
B. A., Oxon., London
LIX.—The Conservative Treatment of Chronic Aural
Suppuration. By Sidney Yankauer, M. D., New York959
LXAural Vertigo (Nonsuppurative)-A Clinical and
Therapeutic Study. By RICHARD LAKE, F. R. C. S., Eng.,
London
LXI.—Bacteriologic Diagnostic Aids in Acute Otitic Dis-
ease and Its Complications. By Frederic E. Sondern, M. D.,
New York989
LXII.—The Pathology of the Eustachian Tube—A Clinical
Study. By E. M. Holmes, M. D., Boston
LXIII.—The Pathologic and Clinical Significance of So-
called Aural and Nasal Polypi, and the Etiology of Benign
Tumors in General. By Prof. CITELLI, Catania, Italy1009
LXIV - Tinnitus and Deafness-A New Instrument for
Their Relief. By TALBOT R. CHAMBERS, M. D., Jersey
City1017
City
By Prof. E. I. Moure, Bordeaux
LXVI.—Antisepsis Rather Than Asepsis in the Treatment
of Otitis Media Purulenta. By Samuel Theobald, M. D., Baltimore
Baltimore1025
LXVII.—Otitic Extradural Abscess and Sinus Thrombosis.
Report of a Case With Remarks. By JAMES F. McCAW, M. D., Watertown, New York
M. D., Watertown, New York
LXVIIIHysteria Simulating Mastoiditis, With Suspected
Brain Abscess Formation. By S. MACCUEN SMITH, M. D.,
Philadelphia

LXIX.—Sudden, Total, and Permanent Deafness in One Ear, From Supposed Labyrinthine Effusion, Followed Four Years Later by Similar Conditions in the Other Ear. By JAMES A. SPALDING, M. D., Portland, Maine
LXXVIIA Case of Thrombus and Removal of Internal
Jugular Vein. By Frank Allport, M. D., Chicago 1090
Society Proceedings
New York Academy of Medicine, Section on Otology213 224, 472, 488, 496, 792, 803, 814, 1092
New York Otological Society507, 523
Abstracts from Current Literature:
I.—EAR
II.—Nose247, 549, 826, 1122
III.—PHARYNX
IV.—LARYNX
V.—MISCELLANEOUS273, 553, 840, 1144
Book Reviews845
CORRECTION848